



חומר גלם	% התכווצות
ABS	0.4 – 0.7
CA	0.3 – 0.7
CAB	0.2 – 0.5
CP	0.2 – 0.5
EVA	0.7 – 2.0
FEP	3.0 – 6.0
GPPS	0.2 – 0.8
HDPE	1.5 – 4.0
HIPS	0.2 – 0.8
LDPE	1.5 – 4.0
PA6	1.0 – 1.5
PA66	1.0 – 2.0
PBT	1.5- 2.0
PC	0.6 – 0.8
PES	0.6 – 0.8
PET	1.8 – 2.1
PMMA	0.2 – 1.0
POM	2.0 – 3.5
PP	1.0 – 3.0
PPO	0.5 – 0.7
PSU	0.6 – 0.8
PTFE	5.0 – 0.9
PVDF	2.0 – 3.0
SAN	0.2 – 0.6
PP/EPDM	1.0 – 2.0
PUR/TRU	0.5 – 2.0
SBS	0.4 – 1.0
SEBS	1.0 – 5.5
MF	0.6 – 1.0
PF	0.7 – 1.2